

PLACE / DATE OF BIRTH

Sivas / Türkiye /1978

FOREIGN LANGUAGE

English

EDUCATION

- In 2001, he successfully completed Uludag University Faculty of Medicine and became a medical doctor. After residency, she received post residency training in percutaneous ASD closure and transesophageal ECO.
- Appointed as assistant professor in 2009,
- In 2011, he was found at the Cleveland Clinic in the United States for advanced invasive cardiology training.
- He received the title of Associate Professor of Cardiology in 2012 and worked at Akdeniz University Faculty of Medicine.
- He worked as an Associate Professor of Cardiology between 2014-2017.

AREAS OF EXPERTISE

- Angio and stent from the wrist
- NON-SURGERY, stenting of completely occluded heart vessels
- Non-surgical opening of clogged arm and leg vessels
- Non-surgical closure of heart holes
- Coronary angiography
- Peripheral vascular diseases

- Hypertension
- Heart valve diseases
- Heart rhythm disorders
- Echocardiography
- Heart failure
- Congenital heart diseases

PROFESSIONAL MEMBERSHIPS

- Antalya Medical Room
- Turkish Society of Cardiology
- European Society of Cardiology

ASSOC. DR. WORKS

- A1. Celik A, Karayakali M, Altunkas F, Karaman K, Arisoy A, Ceyhan K, Kadi H, Koc F. Red cell distribution width is correlated with extensive coronary artery disease in patients with diabetes mellitus. Cardiovasc J Afr. 2017 Sep/Oct 23;28(5):319-323.
- A2. Karakas MS, Korucuk N, Tosun V, Altekin RE, Koç F, Ozbek SC, Ozel D, Ermis C. Red cell distribution width and neutrophil-to-lymphocyte ratio predict left ventricular dysfunction in acute anterior ST-segment elevation myocardial infarction. J Saudi Heart Assoc. 2016 Jul;28(3):152-8.
- A3. Damar İH, Altunkaş F, Çelik A, Koç F, Karayakalı M, Karaman K, Arisoy A, Ceyhan K. Fragmented QRS frequency in patients with cardiac syndrome X. Anatol J Cardiol. 2016 Aug;16(8):616-620.

- A4. Çelik A, Özçetin M, Ateş Ö, Altunkaş F, Karaman K, Akar İ, İnce İ, Yalçın M, Karayakalı M, Ceyhan K, Koç F. Analyses of C-Reactive Protein, Endothelial Nitric Oxide Synthase and Interleukin-6 Gene Polymorphisms in Adolescents with a Family History of Premature Coronary Artery Disease: A Pilot Study. *Balkan Med J.* 2015 Oct;32(4):397-402.
- A5. Koc F, Kayaoglu HA, Celik A, Altunkas F, Karayakali M, Ozbek K, Karaman K, Kadi H, Yenidogan E. Effect of Weight Loss Induced by Intra gastric Balloon Therapy on Cardiac Function in Morbidly Obese Individuals: A Pilot Study. *Med Princ Pract.* 2015;24(5):432-5.
- A6. Özbek K, Ceyhan K, Koç F, Söğüt E, Altunkaş F, Karayakalı M, Çelik A, Kadı H, Köseoğlu RD, Önalın O. The protective effect of single dose tadalafil in contrast-induced nephropathy: an experimental study. *Anatol J Cardiol.* 2015 Apr;15(4):306-10.
- A7. Altunkas F, Koç F, Ceyhan K, Çelik A, Kadı H, Karayakalı M, Özbek K, Burucu T, Öztürk A, Önalın O. Reply to the letter by Ertem et al. Entitled 'is coronary circulation the most important parameter for right ventricular functions?'. *Med Princ Pract.* 2015;24(3):295.
- A8. Unal M, Yilmaz O, Akar I, Ince I, Aslan C, Koc F, Kafali H. Brachiocephalic Artery Cannulation in Proximal Aortic Surgery that Requires Circulatory Arrest. *Tex Heart Inst* 2014;41:1-5
- A9. Kadi H, Kevser A, Ozturk A, Koc F, Ceyhan K. Fragmented QRS complexes are associated with increased left ventricular mass in patients with essential hypertension. *Ann Noninvasive Electrocardiol* 2013;18:547-54.
- A10. Altunkas F, Koc F, Ceyhan K, Celik A, Kadi H, Karayakali M, Ozbek K, Burucu T, Ozturk A, Onalan O. The effect of slow coronary flow on right and left ventricular performance. *Med Princ Pract* 2014;23:34-9.
- A11. Alihanoglu YI, Kayrak M, Ulgen MS, Yazici M, Yazici M, Yilmaz R, Demir K, Dogan Y, Sizer M, Ozhan H, Koc F, Bodur S. The impact of central blood pressure levels on the relationship between oscillometric and central blood pressure measurements: a multicenter invasive study. *J Clin Hypertens (Greenwich)* 2013;15:681-6.
- A12. Celik A, Karayakali M, Erkorkmaz U, Altunkas F, Karaman K, Koc F, Ceyhan K, Kadi H, Avsar A. Presence of angina pectoris is related to

extensive coronary artery disease in diabetic patients. Clin Cardiol 2013;36:475-9.

- A13. Koc F, Ozdemir K, Altunkas F, Celik A, Dogdu O, Karayakali M, Gul EE, Erkorkmaz U, Kadi H, Akpek M, Kaya MG. Sodium bicarbonate versus isotonic saline for the prevention of contrast-induced nephropathy in patients with diabetes mellitus undergoing coronary angiography and/or intervention: a multicenter prospective randomized study. J Investig Med 2013;61:872-7.
- A14. Vatankulu MA, Koc F, Gul EE, Bacaksiz A, Sonmez O, Demir K, Alihanoglu Y, Ari H, Ayhan S, Tokac M. The relationship between coronary sinus and impaired right ventricular myocardial performance index in mitral stenosis. Echocardiography 2013;30:936-9.
- A15. Yüksekaya R, Çelikyay F, Koç F, Deniz Ç, Gökçe E, Fırat MM, Yüksek J. An Assessment of Flow-Mediated Dilatation in Behçet's Disease. Turk J Rheumatol 2012;27:152-7.
- A16. Taş U, Ekici F, Koç F, Söğüt E, Ayan M, Kuloğlu T, Arıcı A, Ozyurt B. Acute cardiotoxic effects of high dose toluene: an experimental study. Anadolu Kardiyol Derg 2012 Oct 12. doi: 10.5152/akd.2013.001.
- A17. Vatankulu MA, Bacaksiz A, Sonmez O, Alihanoglu Y, Koc F, Demir K, Gul EE, Turfan M, Tasal A, Kayrak M, Yazıcı M, Ozdemir K. Does Spironolactone Have a Dose-Dependent Effect on Left Ventricular Remodeling in Patients with Preserved Left Ventricular Function After an Acute Myocardial Infarction? Cardiovasc Ther 2012 Sep 11. doi: 10.1111/1755-5922.12006.
- A18. Ozbek K, Hasbek E, Koç F. Delirium due to contrast toxicity after coronary angioplasty. Anadolu Kardiyol Derg 2012;12:612.
- A19. Ayhan SS, Ozdemir K, Kayrak M, Bacaksiz A, Vatankulu MA, Eren O, Koc F, Duman C, Gulec H, Demir K, Ari H, Sonmez O, Gok H. The evaluation of doxorubicin-induced cardiotoxicity: Comparison of Doppler and tissue Doppler-derived myocardial performance index. Cardiology Journal 2012;19:363-8.
- A20. Celik A, Ozcetin M, Celikyay ZR, Sogut E, Yerli Y, Kadi H, Koc F, Damar IH, Ceyhan K, Erkorkmaz U. Evaluation of possible subclinical atherosclerosis

in adolescents with a family history of premature atherosclerosis. *Atherosclerosis* 2012;222:537-40.

- A21. Kadi H, Ozyurt H, Ceyhan K, Koc F, Celik A, Burucu T. The relationship between high-density lipoprotein cholesterol and coronary collateral circulation in patients with coronary artery disease. *J Investig Med* 2012;60:808-12.
- A22. Celik A, Koç F, Kadi H, Ceyhan K, Erkorkmaz U. Inflammation is related to unbalanced cardiac autonomic functions in hypertension: an observational study. *Anadolu Kardiyol Derg* 2012;12:233-40.
- A23. Günebakmaz O, Kaya MG, Koc F, Akpek M, Kasapkara A, Inanc MT, Yarlioglues M, Calapkorur B, Karadag Z, Oguzhan A. Does nebivolol prevent contrast-induced nephropathy in humans? *Clin Cardiol* 2012;35:250-4.
- A24. Celik A, Sahin S, Koc F, Karayakali M, Sahin M, Benli I, Kadi H, Burucu T, Ceyhan K, Erkorkmaz U. Cardiotrophin-1 plasma levels are increased in patients with diastolic heart failure. *Med Sci Monit* 2012;18:CR25-31.
- A25. Kaya MG, Akpek M, Elcik D, Kalay N, Yarlioglues M, Koc F, Dogdu O, Sahin O, Ardic I, Oguzhan A, Ergin A. Relation of left atrial spontaneous echocardiographic contrast in patients with mitral stenosis to inflammatory markers. *Am J Cardiol* 2012 15;109:851-5.
- A26. Ceyhan K, Kadi H, Koç F, Celik A, Oztürk A, Onalan O. Longitudinal left ventricular function in normotensive prediabetics: a tissue Doppler and strain/strain rate echocardiography study. *J Am Soc Echocardiogr* 2012;25:349-56.
- A27. Celik A, Ozturk A, Ozbek K, Kadi H, Koc F, Ceyhan K, Erkorkmaz U. Heart rate variability and turbulence to determine true coronary artery disease in patients with ST segment depression without angina during exercise stress testing. *Clin Invest Med* 2011;34(6):E349.
- A28. Ceyhan K, Koc F, Ozdemir K, Celik A, -Altunkas F, Karayakali M, Kadi H, Ozturk A, Kaya MG. Coronary ectasia is associated with impaired left ventricular myocardial performance in patients without significant coronary artery stenosis. *Med Princ Pract* 2012;21:139-44.
- A29. Ceyhan K, Kadi H, Celik A, Burucu T, Koc F, Sogut E, Sahin S, Onalan O. Angiotensin-converting enzyme DD polymorphism is associated with poor

coronary collateral circulation in patients with coronary artery disease. J Investig Med 2012;60:49-55.

- A30. Koc S, Aytekin M, Kalay N, Ozcetin M, Burucu T, Ozbek K, Celik A, Kadi H, Gulturk S, Koc F. The effect of adenotonsillectomy on right ventricle function and pulmonary artery pressure in children with adenotonsillar hypertrophy. Int J Pediatr Otorhinolaryngol 2012;76:45-8.
- A31. Kadi H, Ceyhan K, Sogut E, Koc F, Celik A, Onalan O, Sahin S. Mildly decreased glomerular filtration rate is associated with poor coronary collateral circulation in patients with coronary artery disease. Clin Cardiol 2011;34:617-21.
- A32. Dogdu O, Koc F, Kalay N, Yarlioglues M, Elcik D, Karayakali M, Ozbek K, Kaya MG. Assessment of red cell distribution width (RDW) in patients with coronary artery ectasia. Clin Appl Thromb Hemost 2012;18:211-4.
- A33. Kalay N, Dogdu O, Koc F, Yarlioglues M, Ardic I, Akpek M, Cicek D, Oguzhan A, Ergin A, Kaya MG. Hematologic parameters and angiographic progression of coronary atherosclerosis. Angiology 2012;63:213-7.
- A34. Kadi H, Inanir A, Habiboglu A, Ceyhan K, Koc F, Çelik A, Onalan O, Arslan S. Frequency of fragmented QRS on ECG is increased in patients with rheumatoid arthritis without cardiovascular disease: a pilot study. Mod Rheumatol 2012;22:238-42.
- A35. Kadi H, Ceyhan K, Koç F, Celik A, Onalan O. Relation between fragmented QRS and collateral circulation in patients with chronic total occlusion without prior myocardial infarction. Anadolu Kardiyol Derg 2011;11:300-4.
- A36. Demir K, Can I, Koc F, Vatankulu MA, Ayhan S, Akilli H, Aribas A, Alihanoglu Y, Altunkeser BB. Atorvastatin given prior to electrical cardioversion does not affect the recurrence of atrial fibrillation in patients with persistent atrial fibrillation who are on antiarrhythmic therapy. Medical Principles and Practice 2011;20:464-9.
- A37. Celik A, Koc F, Kadi H, Ceyhan K, Erkorkmaz U, Burucu T, Karayakali M, Onalan O. Relation between red cell distribution width and echocardiographic parameters in patients with diastolic heart failure. Kaohsiung J Med Sci doi:10.1016/j.kjms.2011.06.024.

- A38. Koc F, Erdem S, Altunkas F, Ozbek K, Gul EE, Kurban S, Tasyurek E, Erbay E, Sogut E. Ischemia-modified albumin and total antioxidant status in patients with slow coronary flow: a pilot observational study. *Anadolu Kardiyol Derg* 2011;11:582-7.
- A39. Kenan Demir, Fatih Koc, Ilknur Can, Mehmet Akif Vatankulu, Mehmet Yazici, Mehmet Siddik Ulgen. Isolated mitral valve prolapsus does not affect left ventricular function: insights from tissue-Doppler echocardiography. *Eur J Gen Med* 2011;8:207-212.
- A40. Koc F, Koc S, Yuksek J, Vatankulu MA, Ozbek K, Gul EE, Celik A, Inanir A, Kadi H, Koksali C, Karayakali M, Ozturk A. Is diastolic dysfunction associated with atrial electrocardiographic parameters in Behcet's Disease? *Acta Cardiologica* 2011;66:607-12.
- A41. Koc F, Tokac V, Kocabas V, Kaya C, Buyukbas , Erdem S, Karabag T, Demir K, Alihanoglu Y, Kaya A. Ghrelin, resistin and leptin levels in patients with metabolic syndrome. *Eur J Gen Med* 2011;8:92-7.
- A42. Koc F, Karayakali M, Ozbek K, Altunkas F. Hypertrophic papillary muscle mimicking mass in right ventricular apex. *Eur J Gen Med* 2011;8:260-261.
- A43. Koc F, Kalay N, Ardic I, Ozbek K, Celik A, Ceyhan K, Kadi H, Karayakali M, Sahin S, Altunkas F, Onalan O, Kaya M. Antioxidant status and levels of antioxidant vitamins in coronary artery ectasia. *Coron Artery Dis* 2011;22:306-10.
- A44. Kadi H, Ceyhan K, Karayakali M, Celik A, Ozturk A, Koc F, Onalan O. Effects of prediabetes on coronary collateral circulation in patients with coronary artery disease. *Coron Artery Dis* 2011;22:233-7.
- A45. Buyukoglan H, Kaya MG, Ardic I, Yarlioglues M, Dogdu O, Bol C, Sahin O, Kanbay A, Koç F, Ozdogru I. Assessment of atrial conduction time in patients with sarcoidosis. *J Investig Med* 2011;59:15-21.
- A46. Koc F, Kalay N, Kilci H, Ceyhan K, Celik A, Kadi H, Calapkorur B, Celik A, Onalan O. The relationship between renal functions and thrombolysis in myocardial infarction frame count in patients with slow coronary flow. *Kaohsiung J Med Sci* 2011;27:55-8.

- A47. Kadı H, Ceyhan K, Celik A, Koç F. Relationship between coronary collateral circulation and plasma levels of N-terminal pro-B-type natriuretic peptide. *Anadolu Kardiyol Derg* 2011;11:29-33.
- A48. Koc F, Ozdemir K, Kaya MG, Dogdu O, Vatankulu MA, Ayhan S, Erkorkmaz U, Sonmez O, Aygul MU, Kalay N, Kayrak M, Karabag T, Alihanoglu Y, Gunebakmaz O. Intravenous N-acetylcysteine plus high-dose hydration versus high-dose hydration and standard hydration for the prevention of contrast-induced nephropathy: CASIS-A multicenter prospective controlled trial. *Int J Cardiol* 2012;155:418-23.
- A49. Koc F, Tokac M, Erdem S, Kaya C, Unlu A, Karabag T, Vatankulu MA, Demir K, Ayhan S, Kaya A. Serum asymmetric dimethylarginine levels in normotensive obese individuals. *Med Sci Monit* 2010;16:536-9.
- A50. Koc F, Ardic I, Erdem S, Kalay N, Ozbek K, Yarlioglues M, Ceyhan K, Celik A, Kadi H, Taner A, Sahin S, Onalan O, Kaya MG. Relationship between L-arginine/asymmetric dimethylarginine, homocysteine, folic acid, vitamin B levels, and coronary artery ectasia. *Coron Artery Dis* 2010;21:445-9.
- A51. Kalay N, Yarlioglues M, Ardic I, Kaya MG, Vardar A, Inanc T, Dogan A, Ikizceli I, Koç F, Oguzhan A, Ergin A. The role of heart-type fatty acid-binding protein in predicting properties of coronary atherosclerosis in patients with acute coronary syndrome. *Coron Artery Dis* 2010;21:435-40.
- A52. Dogdu O, Yarlioglues M, Kaya MG, Ardic I, Oguzhan N, Akpek M, Sahin O, Akyol L, Kelesoglu S, Koc F, Ozdogru I, Oguzhan A. Deterioration of heart rate recovery index in patients with systemic lupus erythematosus. *J Rheumatol* 2010;37:2511-5.
- A53. Kalay N, Yarlioglues M, Ardic I, Duran M, Kaya MG, Inanc T, Dogan A, Koç F, Çiçek D, Kasapkara A, Celik A, Topsakal R, Oguzhan A, Ergin A. The assessment of atherosclerosis on vascular structures in patients with acute coronary syndrome. *Clin Invest Med* 2010;33:36-43.
- A54. Kayrak M, Ulgen MS, Yazici M, Yilmaz R, Demir K, Dogan Y, Ozhan H, Alihanoglu Y, Koc F, Bodur S. A comparison of blood pressure and pulse pressure values obtained by oscillometric and central measurements in hypertensive patients. *Blood Press* 2010;19:98-103.

- A55. Koc F, Gunebakmaz O, Dogan A, Dogdu A, Kaya M. Uncorrected tetralogy of Fallot in a 51-year-old patient: a case report. *Eur J Gen Med* 2010;7:330-2.
- A56. Yazici M, Ulgen MS, Kayrak M, Koç F, Zengin K. Successful stent implantation to bilateral renal artery stenosis in a case with diffuse atherosclerotic involvement. *Anadolu Kardiyol Derg* 2008;8:16-7.
- A57. Kayrak M, Yazici M, Ayhan SS, Koc F, Ulgen MS. Complete atrioventricular block associated with rivastigmine therapy. *Am J Health Syst Pharm* 2008;65:1051-3.
- A58. Karabag T, Kaya A, Temizhan A, Koç F, Yavuz S, Cam S. The influence of homocysteine levels on endothelial function and their relation with microvascular complications in T2DM patients without macrovascular disease. *Acta Diabetol* 2007;44:69-75.
- A59. Ulgen MS, Yazici M, Kayrak M, Düzenli MA, Koç F. Three-year follow up of recurrent cardiac echinococcosis simulating myxoma: report of a rare case. *Anadolu Kardiyol Derg* 2007;7:442-3.
- A60. Karabağ T, Kaya A, Yavuz S, Kaya C, Koc F, Yeter E. The relation of HOMA index with endothelial functions determined by flow mediated dilatation method among hyperglycemic patients. *Indian Heart J* 2007;59:463-7.
- A61. Yazici M, Kayrak M, Turan Y, Koc F, Ulgen MS. Acute coronary embolism without valve thrombosis in a patient with a prosthetic mitral valve—successful percutaneous coronary intervention: a case report. *Heart Surg Forum* 2007;10:228-30.
- A62. Ulgen MS, Ozturk O, Yazici M, Kayrak M, Alan S, Koç F, Tekes S. Association between A/C1166 gene polymorphism of the angiotensin II type 1 receptor and biventricular functions in patients with acute myocardial infarction. *Circ J* 2006;70:1275-9.

Studies Published in the International Congress:

- B1. P 003. Celik A, Sahin S, Koc F, Karayakali M, Sahin M, Benli I, Kadi H, Burucu T, Ceyhan K. Cardiotrophin-1 plasma levels increased in patients with diastolic heart failure. *World Congress of Cardiology 2012, Dubai, UNITED ARAB EMIRATES, April 2012. Circulation* 2012; 125:e742.

- B2. P 083. Celik A, Koc F, Kadi H, Ceyhan K, Erkorkmaz U, Burucu T, Karayakali M, Onalan O. Relation between red cell distribution width and echocardiographic parameters in patients with diastolic heart failure. World Congress of Cardiology 2012, Dubai, UNITED ARAB EMIRATES, April 2012. Circulation 2012; 125:e759.
- B3. P 215. Celik A, Ozturk A, Ozbek K, Ceyhan K, Kadi H, Koc F. The value of heart rate variability and turbulence for discriminating the true coronary artery disease from false positive results in patients with ST segment depression without angina during exercise stress testing. World Congress of Cardiology 2012, Dubai, UNITED ARAB EMIRATES, April 2012. Circulation 2012; 125:e789.
- B4. P 446. Celik A, Avsar A, Koc F, Kadi H, Ceyhan K. Inflammation Is related with decreased cardiac autonomic functions in hypertension. World Congress of Cardiology 2012, Dubai, UNITED ARAB EMIRATES, April 2012. Circulation 2012; 125:e837.
- B5. P 447. Celik A, Aytan P, Dursun H, Koc F, Ozbek K, Sagcan M, Kadi H, Ceyhan K, Onalan O, Onrat E. Heart rate variability and heart rate turbulence in hypothyroidism before and after treatment. World Congress of Cardiology 2012, Dubai, UNITED ARAB EMIRATES, April 2012. Circulation 2012; 125:e837.
- B6. P 01. Kaya A, Ipekci SH, Koc F, Karabag T, Uyar M. Hipertansif hastalarda obezite sıklığı ve tipi. Post-Congress Symposium of 77th European Atherosclerosis Society Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:12.
- B7. P 02. Kaya A, Ipekci SH, Karabag T, Koc F, Uyar M, Çankaya B. Hipertansif hastaların tedavi uyumu ve kan basıncı regülasyonunun eğitim düzeyi ile ilişkisi. Post-Congress Symposium of 77th European Atherosclerosis Society Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:13.
- B8. P 03. Kaya A, Ipekci SH, Koc F, Uyar M, Karabag T, Çankaya B. Hipertansiyon tedavisi gören erkek hastalarda erektil disfonksiyon sıklığı. Post-Congress Symposium of 77th European Atherosclerosis Society

Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:14.

- B9. P 04. Kaya A, Ipekci SH, Koc F, Uyar M, Karabag T. Hipertansif hastalarda farkındalık. Post-Congress Symposium of 77th European Atherosclerosis Society Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:15.
- B10. P 08. Koc F, Tokac M, Kocabas V, Buyukbas S, Karabag T, Vatankulu MA, Kayrak M, Turan Yasar, Kaya A. Obezlerde plazma rezistin düzeyleri. Post-Congress Symposium of 77th European Atherosclerosis Society Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:19.
- B11. P 09. Koc F, Tokac M, Kocabas V, Buyukbas S, Karabag T, Ayhan Selim, Yazıcı M, Kayrak M, Zengin K, Kaya A. Obezite ve serum ghrelin düzeyleri. Post-Congress Symposium of 77th European Atherosclerosis Society Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:20.
- B12. P 10. Koc F, Tokac M, Karabag T, Yazıcı M, Zengin K, Arı H, Kaya A. Obezlerde atheroskleroz değerlendirmesinde ultrasonografik olarak carotid arter incelenmesi. Post-Congress Symposium of 77th European Atherosclerosis Society Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:21.
- B13. P 12. Koc F, Tokac M, Karabag T, Vatankulu MA, Yazıcı M, Kayrak M, Ayhan S, Alihanoglu Y, Kaya A. Tek başına obezite sol Ventrikül diyastolik fonksiyonları Üzerine metabolic sendrom kadar etkili mi? Post-Congress Symposium of 77th European Atherosclerosis Society Congress. New horizons in the treatment of atherosclerosis, dyslipidemia and obesity in diabetes, Bodrum. Abstractbook 2008;pp:22.
- B14. P 3878. Ulgen MS, Ozturk O, Yazici M, Kayrak M, Soylu A, Duzenli MA, Koc F. The association between A/C1166 gene polymorphism of the angiotensin II type 1 receptor and biventricular functions in the early phase of acute myocardial infarction The World Congress of Cardiology September 2006, Barcelona, Spain. Eur Heart J 2006;27(suppl 1):638.

- B15. P 286. Karabag T, Kaya A, Yavuz S, Temizhan A, Koc F. The relation of HOMA index with endothelial functions determinate by flow mediated dilatation method among hyperglysemic patients. Abstracts of the second annual congress on update in cardiology and cardiovascular surgery, Bodrum. Clin Cardiol 2006;29 (Suppl 1):90.
- B16. OP 10. Karabag T, Temizhan A, Koc F, Dogan Y, Demir K, Duzenli A. Effects of menopause to cardiovascular risk factors and diastolic functions. Mediterranean meeting on hypertension and atherosclerosis, Antalya. Abstractbook 2004;pp:105.
- B17. P 124. Karabag T, Kaya A, Temizhan A, Koc F, Yavuz S, Ozturk R. Relation of endothelium dysfunction with the several risk factors in type-2 diabetes mellitus. XVI. Annual Meeting Mediterranean association of Cardiology and Cardiac Surgery, Bodrum. The Heart Surgery Forum 2004;7 (Suppl 2):101.
- B18. P 144. Karabag T, Dal U, Ozdemir K, Koc F. Does regular exercise affect the QT parameters in 12 lead elektrocardiography. XVI. Annual Meeting Mediterranean association of Cardiology and Cardiac Surgery, Bodrum. The Heart Surgery Forum 2004;7 (Suppl 2):106.